

FIGURE 1




FIGURE 2




FIGURE 3





FIGURE 4



4/32

FIGURE 5





FIGURE 6



6/32

FIGURE 7A

Lesion load
(% of white matter)




FIGURE 7B

Remyelination
(% of lesion area)




FIGURE 8

Cop-1 IMMUNIZATIONS

■ 0.1 mg
■ 1.0 mg




FIGURE 9

Eight weekly immunizations
Serum collection: Day 65




FIGURE 10

Immunizations/
Serum Collection

5 mg Cop-1 / Day 62
5 mg Cop-1 / Day 41
0.1 mg Cop-1 / Day 76
Untreated




FIGURE 11




FIGURE 12A





FIGURE 12B



12/32

FIGURE 13




FIGURE 14




FIGURE 15

■ Cop-1 Ig, 10 $\mu\text{g/ml}$
■ Normal Ig, 10 $\mu\text{g/ml}$




FIGURE 16






FIGURE 17

Mouse#1




Mouse#2




17/32

FIGURE 18

Normal #1




Normal #2



18/32

FIGURE 30


Isolation of Normal Ig



32/32

FIGURE 29

Isolation of Cop-1 Ig







FIGURE 28

30/32



Cop Ig-treated

FIGURE 27

29/32





FIGURE 26

28/32



Cop-1-treated

FIGURE 25

27/32

Figure 24
A Non-idealized



FIGURE 24

26/32

1000 800 600 400 200 0

FIGURE 23A



FIGURE 23B





FIGURE 23C



E. Normal Ig

FIGURE 23D

FIGURE 23E




FIGURE 22

24/32




FIGURE 2I

23/32

FIGURE 20F




FIGURE 20E

22/32

FIGURE 20D




FIGURE 20C

21/32

FIGURE 20B





FIGURE 20A

20/32

FIGURE 19.



19/32